


46 be also on Demini, Aster a num attackers Man. ed. 1. p. 350. ed. 2. p. 336, C. Cephalanthi lyl! Missouri, land Illianis (Papela.) Gegate! upper missoni Hayde ! New Mexiso Might 1629 (124) Anyone the same! 1626 (578). In you plate just begin the plans let to he flower is bent fly developed, the term of plans ofthe open fish & later cleating of smellen an smille but Skien te selve Com down on the predenter is a little later the fruits occupy It earls of the bramby while more al more flore, a bud are decloped. town down alg on the Catent pedente of pedrick till at that the whole becomes our large obeiter. How of Les than bline long priles - length. (clys to the good of the cly Kabel purelle gurleg swelleg wit the bese of the monty grands the corolle sleader long the the Cology and the short caping the Color of the corolla, angeles spatilit - ovel, short the the teste. spulle that with on 2 seed of glass, with a short con for month people holen - The west for collect! By Esight of for for of the Musson & Kersessignarly by boye hand læger flav (1.2-1.4 l.leg) læger mon depren spopsale, (1/2-2 l. Saut) and fleth 2008 (0.8 l. leg) which are they on the Thouse of C. Compata MISSOURI

copyright reserved

BOTANICAL GARDEN




1 8. apirolate; opene to the land more of on with Court his wife of the Carota California Choci, Ceer of 183 & DC Mod. 1x. 457. Hook & Am! Joh Beechy 346. both author desont this plant for Douglas spring and the same name as its the Sam year Muttall had longly give it It in sell 1851 in the food for the state of considerely all it shape as lift of the carry, proportion of the Carrier to the tule length of frants, indratin of soils at leight of styles as ever shape of ovary sologie the part form may be the seed reporte seems to be becate bet the forther to the bound good ripe futte, The seed is of tolitary plyline outers copied feeder sostate. The erich lober enveloper to aprile, leavitt The form, my be detagned. d. bruglern, with flowers ranch more then a line long on that pertrells (acrimine with longer the table authors deflects suite short of the grant of the short of the grant Ciflorn for the grant of t photos see and in the Con colyx off short At tobe of foodla, Carrie egal to the log e Mandow flats of short or long or long.

The following anthe styles short i Digital Looghy ongel spring ali Big long the Treats penden My 506. MISSOURI BOTANICAL copyright reserved GARDEN

8. apiroleta: que to the list come somethe grandete, orange se organite or seed of the Colombo, Angelow! - February". J. longilobe: flors alt. 2-2h l. C orlyg short, or usuall egal lett tile on long, conting of much lyan of two re as an tale manning sleet, see Em and on some southers periodical and survey of the south the season of the south of 570.633 New Benz Potos 8 1. Affice. _ foll by Defiler in the Colones Warple, Refl A. Expl Sept. its though to their form both the differes from all other teen lendofote by havighed a depress the avytænde ovanium! Their species The Scales are obset i Collegom va the morphita membra fit anch for the - Higher went to the busines of the admite pat the van the base of the voroble. Heis and in Sveglan ongul spert delesately father ite. Contract of the contract of th The Denny land the Hest. Mus. Carry terr ville itt sicon Newson i woods" the other on John Suneda for the Ris Wigen w Souther Utah Swill respectly the figdien tile Califorio our spenie, But with roll for scales furthe shouthgut much snow whether they be be sperfally Skynd for California, forth prises I feel stellige to brig the have as it seebelen Sa squamigera. He 2-22 l. Commigera to the tale court of the tale of the sail of Report to the Some Submit Carine ogel tot someth fearlshaps the author, MISSOURI BOTANICAL copyright reserved cm GARDEN

Cent teleen Their is the most show (californi sours of) flows 2 - 3 l. log Musifice speries resemble, difent forms of C. Conjubora, a C. odorlolepis so much that one with almost be inclied to all of the own of the said some of the consider there as varieties of the said some span we would have to Lotte sperdez, afte in vorsegument vorsen the dehermen on non dehermen of the Office as a character of very little raportaine of The size a structure of the gorolle is of ferent action on being druply during very fleshing the short on for formand the structure is one for formand they Lepante Holes af Commenter, lender of ad out to doise for met but consten the the inflorence is the close partilexe pedvilles, or al week servile; & form; pathe days al at last providulate - glowerate clusters on the expedition of I but as of hover and been able to come to this last onelæfor, I am oblige to place there others of to rest all I flout I district serteony, where they seements be watergan, represalation of represent the land for funda a similar externe Com Different types long that the deeply and the lasky I coly lokes, long that and more on less constate than the tube patiety. MISSOURI BOTANICAL

copyright reserved cm GARDEN



C. Auentan Hoeffig Stån 159 C. obbre flom Might & Springet heet. pærthan ti Chili; Cogerado on the shore fett Occar, olways on Frankenia, C. Jay 538 Soncon on Montego Inplie et Poeppe 189. July san short per ills on always service i fatte dans gloweller flesters i Doler of cale that of souther mulet of southernality out Alle was thorte sole usuals mull, court on spallet, attach to the mile of the tute and manch many many capillas styl usually short the the cones ovang i stigmas satten smell but The capital as i all the othe speak to concern how Chowy our how pland it access them with filipants weets they were his own figures though orlande envelope by the world, top wake, seed of strict obout sottete with a very smell could a land to a porce. - Their is Charges origina plat of Cogen a all the offen from the return bell to Van S. Catiflow: flow, noth largen, 14-1/2 Cia, pilal, spercado, soule, splinten e styly long - fuit not seen, - the Jon of loggins species (on Malage) appende Jago by the small plan with small voileg e a grandit Cookdae. MISSOURI

BOTANICAL copyright reserved cm GARDEN

14. The Ho. And They. Medtall hed named it C. arcininata, Flowers on slendes pedirols, slowely princelate, taly & since Hurbinate with acute tricaquelar laureolete or arminate (lobes sugaretimes recurved); stender Caviniae very slenden kaurcolate linear avute or accuminate, evert on sprading but in fruit evert on connivent scales wanting or indicated by a membrane invested arch with a smooth or orenulate margin meanthebuse of the best of the frament, in a doubtfal væriete the scales are fully developed; Journal of the state of the sta Design Addition of the Committee of the The state of the s West Contract the second of the second secon The second of th MISSOURI BOTANICAL copyright reserved

GARDEN

St. C. Serora, Chois, Cur. 182 +. 3 f. 3.

SC. Ond 1x 457 spilled inderora to the live of spread to was and very variable speries, from the letter to the state of the state o easily rerogains by the peller structure of the which touted on give the surface a might offen and make the may is affer or emulate. Then gold are someting clought in the clought peplee, while we the forfelt lack men.

It soften Covaly on it lack men.

compact; lober of only triaglout level, and shorter the the carpeter that on asto of longer, lavie carte lacred supler & at the end points events on spranging El ay recum Tales large ovel as Esaste tute our alof the leastly of the forming the land was severally envelop by the corolla seed s 06-09 C. oblyle over, hook sough, all a of that all The sige of flow legth of the portion of rorolle topped and the likepelof scales The following ties may be distinged of the world from the lovely partle smill on lay pertils, the the the les with my short by copping the my alove in in to change of with a Chorsy saw only a very poor sperious, of the such as berlanden vas i the habit of maker of the smell flow I variety, It is happen that it is one of the prolliest species, so much so the schoole has named it pulchemina I therefore the first in takes the Charges named MISSOURI BOTANICAL

copyright reserved GARDEN


MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS ralyx, exsent tuto êtc. The smooth form is the ongre C. indexon Charry! Berless, 86,7 2285 for the Mio Grate, Lieden ! 123 as Cheuropetala minor Cyl Donto for. M. H. S. V. p. 223.

Linker 1 125 - The papillose - hirper form is C. vermerosa a. hispola Engl. Silforn 43 p. 341 C. hijerrila light, bis, 45. 75 x DC. Port 1X. 461, Angen 248, Linsher 1474 Wright! Welletter Som of them have somble langur flows and appelle the and form. Mas B. pulchemina, flor in touse C. neuropitala Coyle & M. M. p. 75 - Copeller Schale Sing & CAN IX. 461, C. pulckenne Schale Stram II p. 750 the Sweeth or notely should papellery the tube of any large flow of for G. relengther B. - littorilis ly by Bot. South thet 'Con, _ tothert The light ! he with wife of there, things 124 Caracing Expert 485 Ougher Town Lister 124 (a) and 125 (b) the Mexer boyles 1849 -20, 521, 524, 525, 1851-52 1630, 1633 1604 1637 1638 A. 503, Sonon, Wyll 1 1622, Mexico Grego 78 & 888 .- IL Mark, Flor & Stelle St. Me Fadria, Alexandy & Banon Jefet Branil Telsman! (! He Bueling) gærdet 5036 a for with vy by styles, as. 6068 (i part; canonis has been dities under the sono) town for submeda of the heavent to thelenge of the subs, co point in my son, or diffe subs, co point. MISSOURI

BOTANICAL copyright reserved GARDEN

53. C. Kirketski Caulity know til raputlances, floort, longinge Swellating Spanifilis lax is parifloris; pediellis elegit. bruite, oval, ruffellig, galgoris teubrialt glabalori senti lobei ovalui obtusis tabo corolla Exhabito I competto, breaking, lacriais tubo breviole, laureolitos reflexes apire acutitivolo Aflexis the author or stam. Granishing continue orala filante subilito arquitoriga. Ifang agentisering parise france frances. vix attigett skouwing styles ovani comme biverspiden tiberegetib, dem exsertis. Oppula globoar- aprivælater sol 1- spen gur corolla calypticifornie La bon' solute aquice Ander of gento on the Mall! i Hb. reg Berol, J. V. Coulhouy ! on a Delea on the Back, of the Machange, 9500 feet high . - Avery Istale Spiries the goon, of our shot forms white Manes fruit on lowshule where wholester the with the form looning follows inflorescen, northe reckon juste many men the one line les souly extrally namme, imfulle landiste fruhette towns the tip. Seed o.7 l. leg. Meflows Deserbles somble (, avenis van vermossa at also the of the last speries.

MISSOURI BOTANICAL copyright reserved GARDEN



st. Comirulata u.sp. Gradesi; comistaxis panialatis sen magis ompattis subglobs; is butis ovateis convavis, oblisis, flortes from fortelete, ralgori rampamlati ultra medi fissi innanti. See inormani. Cobis ovetti agriculti i cultivati v mespide no doso so to aptensats apiraletis, sabrale petell, verenvil ve Corollae tubum Congrond, Cariais, agentités 2. supembribuy, landis tute æggilergi outs lavolety, aprèle recullato s'hodigano commentatie i eflexis, dem petales reflexive. satternis oblongis filende Sublate acque to, tuber-excelling, januaris; stylis oranian pyriform æggentit, sligmestit, Mægari pilesti, rapsala posollar mennes mit tades ette medn omfesse detnestylarinagno, some. Dette obligue evaler shie ranualis. Vand. næremulosa: Flower i Coose partilet og un, lober of velyx anter nodre, æartish. - Souther Stryil, Sellow. 2489 and 3621 i Al. Mag. Oderol. ognes, lobers fralex coulish or obtine. In The campos near the Buixas beloven Joyay a l Salinas Svervell! Venegula onthe Res' Meta, atribulas ofthe Oriano, Karoten! Their is one of the series of intricate) of Orgilia, speries ; which will not be oleaned up weithte ranafully sleed ed withing thative Corner Kaunt, The sinfley I point spills is the naked reporte with the laye I shulffa on file deem to d'always if seffer to

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

copyright reserved

GARDEN

other form shirt I fell olly to separt fit, below to its grand type I Custoute racemosa Martint. I. 256 This lives separts an with the fill it sprands is man vanieties over a great part of South derental, Just lik O. Gronowi over Moth Amis on C.
plage over Oficis ett aullenan Foots. all her bee whether with the days sent tet Theory John it has given met and agrisal all below, to a la hay the roll extrust stilles then to the month get of the jener. Allethon of the spiris are chambers leg the toose saccour parlet ylonn - caly as a carly usuall shorten the deply compelet take graduelly zor Dearing the some of with short spines on reflect the flex of flex of for the long many ovett ov obouts oven; the appropriate land thick and flate, stoot style with large de source de strong all the state of appelle vous light from our soule, 2-4 seed of seed of over one of the sought on souther show of on? orly are developed of with a shit like my thought mobleg or trason hele, of und miliating tides on the webilions of Solinger He follow is worth former Var a. Brasiliana . R. racemosa Martis, it. I. 286, Chrity ! Ceer. 181.7.3. f. 1. Della 18.456, Flower with few on grands any glas, cally colors and oblivers of the rosolla flow, usually 1/2 lies log por Mark Riv a generall, i Ohngil, on shely I heil. MISSOURI

BOTANICAL copyright reserved cm GARDEN

3. 1. 7. 2 - 40 - Malin Malin M. 25 25350 plants. Madin, 1941-ganschaut 1/ Jahr. All 15 for pert Mied elogs Boon Journal on S. Minista. C. Ministe Mattle Constitute Ching C. r. on only the release, Flour of a thick 1292 Orathin, 252 And Shine ! Poble 5100, i par Dans J. Chi ensier, C. Chrilenses, Deter in sched unas Ruch Ken. C. congulor Choring Case 180. DC 18456 C. suaveolens Seniege Ann. So. phys. net. Hyon 1840]. Cl. Jay I Flow. Chil. W. 448. Dem. Et. 66 John Canatha it is wine of with Colles flow van brew flow. C. Hassiava Reiffer! Bet Jeit 1843 p. 705 Copagani Coppi i He. Establ. 20 HOSK. They oxide for, which has be suthered in Ceripa itt ægnistet Leed hag lægni River men brance flowery. Iftender Cong, with scales off that the the tedge lobs i of corolla with acute inflex of point Bester 1205 in Ho SC., 940 & 201 - He. Shuttlewith 1990 -M. DC. i C. Chilearis) Ropping Cologe 449
and in Egrope alune always La Medicago Sature There of the Sound of the Service althoughts Ashed Thow pate lies les dechlers, as lay the table with a short of the a longe tolen Celyx e covolla tole Bragilla Sellow - He. ry. Bend Werdell ! And Well Weller Lechle 479 with Carry flow MISSOURI BOTANICAL GARDERS CE RGE ENGELMANN PAPERS MISSOURI

BOTANICAL copyright reserved GARDEN


reflere & interiorales, paris qui parlette co point lar floris flort, florge pedvillating formolette parlet orlyre laborate ognis farailet partet, partet for let organicales for the south of the sure of late organicales orthis obtains ali, tal corollee æguantiben, et larrain patuli, sendemen reflere gablisions for and in a pie chefler is tuto large longionous, steel & Brench outer outer filalæ bre aegra leg, squis outis manis) Thrunds Carret findrichi). Tylis overior oboveto acquelops . Three Marking it. Johnsie Miras genres, Ackermina! Oshe 15726. - With C. palacetic the small flows Speries, flows only 1/2-1/4 ling long, of deep red role ste dy pet like of coule sprand bet not reflexe, frit not seen; florte suring land south the selection land acquities, - Of the compos near the ording Goga Brysil Wedvell! 2125. How. tits as leg as flower lavibre & down and sender. 036

0 1 2 3 4 5 6 7 8 9 10


Copyright reserved


GARDEN

MISSOURI
BOTANICAL
GARDEN



in Flow. M. Jeal. 1853. non Soyer-Will. - Menis A Vol Muderwood, on the wille is Co of New Jeelaad, or Some Aporque reon, plat, Stalgall! - Themps too dosely allied to C. navemosa, but apportly distingul by the much fine, repillares, offeren the very short organisate celyx, the days tolerafts lober of the coroller which am only abl on this the leight of the deeply compalety title. The bowned bowned bowned bourned bowned solites seed Shick han short like fruessverse hole on the nditel ned unbilins. The stag is the sam, It reas of the deal rowlle covers as evelopesth glober rapsele, palyx a coulle are det with yellow glads as Attooken always has staland, The oil ranals.






Caulety filiformity totis gladloses.

Caulety filiformity totis gladloses.

Lese equaloses. Gymela laxa pam-flora, olyoni Colis trianglari. ovati detasi vordlastale profile or partit brundent, lær mit til aget to, selulis reflegisve foratis obleasiavelig - standy brevisin, ather, oviter file ta æget by Typens teams siver ovater laostite faceur attruget by, ovari magar ovato-comés strette corlle replette ot get of the plater stylished capili éconocia aprile c vovolle exserte . At Wolvana of Ahleron, Chili Reynold 195 - He. Hosker. — littleffled medy all the lest of the l legth large gellens dies coninoray with the thirth netmen bet dill govite unegreel styles, flan that I fleiby yellow when dry and stood The splinium ext seen is very young fearflow,

0 1 2 3 4 5 6 7 8 9 10


Cm Copyright reserved GARDEN



and the second of the second o Carlot filiformibus, florit, breviter podrelletis og more pantelet, & Bas, oblesa læte rangeletti gerlegtet rapuleti lobij ovato - orbirleti forista to - carrinetti tubu corolle Cattern ægebbb, s. sagentiber, Carries late ovette oblige; petertes s. den revunvi, tubo æggtongi, stom to brownty authrij selengig gelat, late sablet acquity squainiq imae corolle availir spetulie thoused - fabriti let ex red & justition out apicality over magan brushing fere inobesis stignite (petter telen) panis oapple, depren conflee manesorte insidente seje medæ, semets oblige; 76 leet ngreen y Ala Mate, Tweedie 1191 itt. Hook may How wide ope on the all furtilly all 1/4 lives long; - orang extrappeles with an start Sabruph parmose ring at the bese of styles, along fills the tube, toppe with a vy smill site the opening, show sent seeds brown red, 0.7 leave leng with a short oblig perpende or oblige hila, for C. naremosa van muda Thei speries is distrible of the flowing the pertile # Oliquear vy small, pele gellersh al stemmet, it en mon closely alle It C. Fronois for a forth Am form of which I aken log tet and but the shape of the corolla Thought the species is clong all a with Consens on mula, of the with

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN



60. Gronovi brill . H. 201. 205. W. 205 Charity ! Cent. 185 t. 4. f. 3. DC Ond 1X, 489.

C. Americana Lin sp. 180 in part et auch A. am. bor.

in part: C. valg. vaga Cagel, & Sell. form. 1. 1. 1. 328 Torry Motorker! THE Cor. an IT. 78 int Epolyantha Shutten. ! school. It. Augel This the most common north American species, is channely a by the loosely paralet highers rease sohich at last berown, densely onvoded; by the deeply compared to the , the obtaine but flak spræds' but scarrely even reflerent Con of the one dange oval dagle Enger side the over oblights only hand routh with oan be ditingenthe. perferbe tie, dering at. a. vilgivega; The religion form, as Figure Still Journe of Charing I. O. The of calgy asually carriate flows the the as well as bles of corolle shorts the tribe of Corolle scales many short the tube oursel our thouse, contlu rementej at base of rapselle. The At listeld, org. el ? Grono i. i. hij H. M2 316 (a vy loosely flored spirit, Fre Canle of Main to Romish Want to Mison the spear of the partiriste Vanible it signed flow to forthe partiriste a sull flend for i Copath Shullen! i M. Augel for Alab. doot - 4 pail florer Par Tetra new; Egel. ling.

copyright reserved

MISSOURI BOTANICAL GARDEN

